

BORNEO®

A suspension concentrate containing 110g/L etoxazole for use as an acaricide for the control of spider mites in protected tomatoes and aubergines. **MAPP 18873**



Warning

Very toxic to aquatic life with long lasting effects.

Collect spillage

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use. Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.



SUMITOMO CHEMICAL (U.K.) PLC

Authorisation Holder:

Sumitomo Chemical Agro Europe S.A.S.
Parc d'affaires de Crécy, 10A rue de la Voie Lactée
69370 St Didier au Mont d'Or, France

Marketed in the UK by:

Sumitomo Chemical (UK) plc
Hythe House, 200 Shepherds Bush Road, London W6 7NL, UK
Tel: 0203 538 1539

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment. WEAR SUITABLE PROTECTIVE GLOVES when handling the concentrate or when applying the product.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH HANDS before meals and after work.

When using do not eat, drink or smoke.



Environmental Protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and Disposal

Keep locked up and out of the reach of children.

Keep away from food, drink and animal feeding stuffs.

KEEP IN ORIGINAL CONTAINER, tightly closed in a safe place.

EMPTY CONTAINER COMPLETELY and dispose of safely.

DO NOT RE-USE CONTAINER FOR ANY OTHER PURPOSE.

Pack size: **250ml e**

BORNEO® is a registered trademark of Sumitomo Chemical Co., Ltd.

For 24 hour emergency information ONLY; call +44 (0)1235 239 670 1053527240A-1218

IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL ACARICIDE

Crops:	Tomato (protected), Aubergine (protected)
Maximum individual dose:	35 ml /100 litres of water (see 'Other specific restriction')
Maximum number of treatments:	1 per crop
Latest time of application:	3 days before harvest
Other specific restriction:	A maximum individual dose of 500 ml/ha must not be exceeded

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

General Information

Borneo is a contact acaricide with contact action for the control of red spider mite in protected tomatoes and aubergines. It inhibits the development of eggs and larval stages of

mites (*Tetranychus urticae*) and can be used on indoor tomatoes and aubergines (egg plants).

The product will give best performance if used at the first appearance of the first mobile stages of spider mites. Borneo has residual action of around 45 to 60 days.

In case of a high adult mite population, an 'adulticide' acaricide should be applied.

Mixing and spraying

Invert bottle before use to ensure a uniform mixture. Half fill spray tank with clean water, commence agitation and add the required amount of Borneo. Maintain agitation during completion of filling and during application.

Rinse empty container thoroughly at least three times. Add washings to the spray tank at time of filling. Do not leave spray liquid in the sprayer for long periods of time e.g. overnight or during meal breaks.

Crop specific information

Borneo should be used at a concentration of 25-30 ml per 100 L of water in 500-1500 L water/ha; or at a concentration of 35 ml per 100 L of water in 500-1000 L water/ha.

The higher concentration of 35 ml per 100 L of water should be applied when a high pest population is present.

Use sufficient water volume to obtain complete crop coverage.

Resistance Management

In order to avoid the development of resistance, it is recommended that Borneo is used only once per year.

CONDITIONS OF SUPPLY STATEMENT All goods supplied by us are of high grade and we believe them to be suitable but as we cannot exercise control over their storage, handling, mixing or use or the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded. No responsibility will be accepted by us or resellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether they supervise or assist in the use of such goods.

Always read the label. Use pesticides safely.

BORNEO®

A suspension concentrate containing 110g/L etoxazole for use as an acaricide for the control of spider mites in protected tomatoes and aubergines. **MAPP 18873**



Warning

Very toxic to aquatic life with long lasting effects.

Collect spillage

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use. Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.



SUMITOMO CHEMICAL (U.K.) PLC

Authorisation Holder:

Sumitomo Chemical Agro Europe S.A.S.
Parc d'affaires de Crécy, 10A rue de la Voie Lactée
69370 St Didier au Mont d'Or, France

Marketed in the UK by:

Sumitomo Chemical (UK) plc
Hythe House, 200 Shepherds Bush Road, London W6 7NL, UK
Tel: 0203 538 1539

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment. WEAR SUITABLE PROTECTIVE GLOVES when handling the concentrate or when applying the product.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH HANDS before meals and after work.

When using do not eat, drink or smoke.



Environmental Protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and Disposal

Keep locked up and out of the reach of children.

Keep away from food, drink and animal feeding stuffs.

KEEP IN ORIGINAL CONTAINER, tightly closed in a safe place.

EMPTY CONTAINER COMPLETELY and dispose of safely.

DO NOT RE-USE CONTAINER FOR ANY OTHER PURPOSE.

Pack size: **250ml e**

BORNEO® is a registered trademark of Sumitomo Chemical Co., Ltd.

For 24 hour emergency information ONLY; call +44 (0)1235 239 670 1053527240A-1218